

Voyager 1250g

Single-Line Laser Scanner

Building on the legacy of the world-renowned Voyager™ series of scanners, Honeywell's Voyager 1250g single-line laser scanner provides a superior out-of-box experience and aggressive reading of linear bar codes, including larger bar codes up to 23 inches away.

Optimized for fast scanning of linear bar codes, including poorly printed and damaged codes, the Voyager 1250g allows enterprises to minimize manual data entry, leading to increased productivity and reduction in errors. The ability to read distant bar codes improves worker comfort as cashiers reach to scan items in the bottom of carts, and inventory takers scan out-of-reach products on shelves.

This plug and play scanner incorporates a multi-interface design with automatic interface detection. Simply plug the cable into the host system and the Voyager 1250g will automatically configure itself to the appropriate interface, shortening the installation process. For users who require hands-free scanning, the stand can be assembled quickly and easily.

Honeywell offers Service Made Simple™ service plans and Remote MasterMind™ for Scanning software to help lower the total cost of ownership for Voyager 1250g users. Service Made Simple is Honeywell's affordable solution for customers who require easy, hassle-free repair service for their scanners, and Remote MasterMind for Scanning provides turnkey remote device management to easily manage and track usage of installed devices.

Voyager 1250g provides superior scan performance and extended depth of field, which combine to deliver an ergonomic solution for scan-intensive applications.



Features

- Extended Depth of Field: Scans out-of-reach items with ease and allows users to scan 13 mil bar codes from as far away as 17.6 inches (447 mm)
- Automatic Interface Detection: Supports all popular interfaces in one device, replacing the time consuming process of scanning programming bar codes with automatic interface detection and configuration
- CodeGate® Technology: Enables users to ensure that the desired bar code is scanned before transmitting data, making the scanner ideal for use in menu scanning applications
- Superior Out-of-Box Experience: Simplifies set up with quick and easy stand assembly; automatic in-stand detection and configuration; increases throughput with true object detection
- Ergonomic Design: Fits comfortably in most hands, reducing user fatigue in scan-intensive applications
- Remote MasterMind™ Ready: Reduces total cost of ownership by providing a turnkey remote device management solution that easily manages and tracks usage of installed devices

Voyager 1250g Technical Specifications

Mechanical	
Dimensions (LxWxH)	60 mm x 168 mm x 74 mm (2.3" x 6.6" x 2.9")
Weight	133 g (4.7 oz)
Electrical	
Input Voltage	5 V ± 5%
Operating Power	700 mW; 140 mA (typical) @5V
Standby Power	425 mW; 85 mA (typical) @ 5V
Host System Interfaces	Multi-interface; includes USB (HID Keyboard, Serial, IBM OEM), RS232 (TTL + 5V, 4 signals), Keyboard Wedge, RS-232C (± 12V), IBM RS485 supported via adapter cable
Environmental	
Operating Temperature	0°C to 40°C (32°F to 104°F)
Storage Temperature	-20°C to 60°C (-4°F to 140°F)
Humidity	5% to 95% relative humidity, non-condensing
Drop	Designed to withstand 30 drops on concrete from 1.5 m (5')
Environmental Sealing	IP41
Light Levels	0-75,000 Lux (direct sunlight)
Scan Performance	
Scan Pattern	Single scan line
Scan Angle	Horizontal: 30°
Print Contrast	20% minimum reflectance difference
Pitch, Skew	60°, 60°
Decode Capabilities	Reads standard 1D and GS1 DataBar symbologies
Warranty	5 year factory warranty

For a complete listing of all compliance approvals and certifications, please visit www.honeywellaidc.com/compliance For a complete listing of all supported bar code symbologies, please visit www.honeywellaidc.com/symbologies






For more information:

www.honeywellaidc.com

Honeywell Scanning & Mobility

9680 Old Bailes Road Fort Mill, SC 29707 800.582.4263 www.honeywell.com







BarcodesInc 200 West Monroe Street Suite 1050 Chicago, Illinois 60606 Ph: 1-800-351-9962 Fax: 1-312-212-1800

About BarcodesInc

IZal W3dW

BarcodesInc is North America's leading provider of barcode, mobile computing, point of sale and RFID products and solutions. For over fifteen years, we have worked hard to earn a reputation for being dedicated, reliable and customer-oriented.

I WAi WAgdEgWWeFa Kag

BarcodesInc continues to grow year after year. We have one overriding objective: Focus on you, the customer. We work hard to listen carefully and tailor our solutions to meet your needs. Then, we make ordering easy for you while providing a great value. Our goal is to build a growing relationship with you, and we appreciate the opportunity to serve you.

Why Choose BarcodesInc?

Dedicated Account Team

Our Account Managers will not compromise when it comes to providing you top-notch service. Your Account Manager is the primary point of contact for your business and makes it a priority to get to know you, your company and all your needs.

: [YZ/kŽFdS[`W/FVVZ`[US/Egbbadf

Our technical staff has the broadest knowledge and every significant certification in the industry. One of our friendly experts is always available to suggest products and solutions for any situation.

;`**UdW**[TWHS/gW

Our purchasing power means big savings for you. Whatever your project, our team will work hard to deliver a solution that fits your budget.

>SdYVfef; hVV fack [fZVV/ Vgefck S V ES_ VT6Sk EZ[bb[Y

Whatever your barcoding, mobile computing, or printing needs, we will fill your order and ship it the same day.

BdV [Vd/3UUVefa Fab? S`gXSUfgdVde

BarcodesInc maintains strong strategic partnerships with the leading manufacturers in barcoding, mobile computing, printing and RFID.

DValba`e[hW5gefa_ ValEVah[UW

Every phone call and email is responded to promptly, completely and accurately by our customer service team.

7Sek DWgd e

Damaged, defective or incorrectly ordered goods may be returned without hassle.

BRANDS





Intermec

Honeywell

CONTAINGIC











unitech





Microsoft^{*}



<u>symbol</u>*

AND MORE